



Mechanical Joint C153 90 Degree Bend / Ductile Iron MJ X MJ 90 Degree Elbow

Our Product Introduction

Basic Information

- Place of Origin: Mainland China
- Brand Name: NC409
- Certification: ISO9001,CE,SGS
- Model Number: 409
- Minimum Order Quantity: 100 pcs
- Price: \$1-50
- Packaging Details: Wooden Case
- Delivery Time: 30 days
- Payment Terms: T/T, L/C
- Supply Ability: 80,000 pcs monthly



Product Specification

- Product Name: 90 Degree Elbow
- Material: Iron, Ductile Iron ASTM A536
- Technics: Casting
- Application: Drainage / Sewage / Water
- Standard: AWWA/ANSI C153
- Pressure: 350/250/150 PSI
- Highlight: ductile iron pipe fittings, pipe fitting components



More Images



for more products please visit us on greycastironcasting.com

Product Description

Mechanical Joint C153 90 Degree Bend / Ductile Iron MJ X MJ 90 Degree Elbow

Main Products We've Made

Dismantling Joint, Universal Flange Adaptor, Universal Coupling, Ductile Iron Loose Flange Joint, DI Pipe Fitting, Saddle for PVC Pipe, Repair Clamp, Quick Flange Adaptor, Restrained Flange Adaptor, Restrained Coupling, Valve, etc.

About Us

We are engaged in manufacturing, exporting and supplying Duck Foot Bend, Ductile Iron Push-on Joint, Mechanical Joint Fittings and any other ductile pipe fittings.

Duck Foot Bend is a kind of pipe fitting and it is widely demanded in various industries for changing the direction of flowing fluid.

Main Market: North and South American, Europe, Asia, Middle East etc

Specification

Material: Ductile iron ASTM A536	
Working Condition: 350 PSI rating for 4"-24" sizes, 250 PSI rating for 30"-48" sizes	
Finish: External coatings	Internal coatings
bitumen painting	bitumen painting
zinc + bitumen painting	cement mortar lining
liquid epoxy resin painting	liquid epoxy resin painting
epoxy applied by FBE	epoxy applied by FBE
according to customers' requirements	according to customers' requirements
Dimensions and testing in accordance with ANSI/AWWA C153 / A21.53	
Application: Mechanical joint in which sealing is obtained by applying pressure to the gasket by gland.	



Our Service

1. Size, materials and others are all at your requirements and can be changed.
2. Price varies on material, dimensions, finish craft and different payments.
3. We are direct manufacturer in machinery manufacturing work with experience of several decades.
4. A variety of drawing formats: Solidworks, Auto CAD and so on.
5. Detailed production design will be made according to the information you offered.
6. The most important is that we have advanced equipments.

Quality Control

We conduct strict quality inspections over each batch. We have a very professional laboratory with full serious of testing and inspection as Leak testing, raw material receiving inspection, batch chemical composition inspection, Micro-structure testing, dimension inspection, first article inspection, in-process inspection and final visual inspection. In- order to ensure high quality

FAQ

Q: What's your qualification in this product ?

A: We have been engaged in this industry for decades with seasoned export team .
All the product is strictly conformed to the international standard ANSI/AWWA C153/C110 and other related standard.

Q: How long is your delivery time ?

A: Generally it is 5-10 days if the goods are in stock. or it is 20-30 days if the goods are not in stock, it is according to quantity.



Sunrise Foundry CO.,LTD



+86-15067447509



sales@greycastironcasting.com



greycastironcasting.com